



ISO 9001 : 2015 품질인증 획득(2015/2)
ISO 14001 : 2015 환경인증 획득(2018/2)
실용신안등록 : 제 0291098호
의 장 등 록 : 제 0322019호

CHEONWOO SHOCK ABSORBER













CHEONWOO INDUSTRY





Manufacture of shock absorber for automobile

Shock absorber application list for KIA motor company >>>

Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWKB-01	F	3	20		610	360	250	COMBI OLD(815)	-	BUS
CWKB-02	R	5	6		545	350	195	COMBI OLD(815)	RHINO R(KA)	BUS
CWKB-03	F	3	20		610	360	250	COMBI NEW	-	BUS
CWKB-04	R	5	6		545	350	195	COMBI NEW	-	BUS
CWKB-05	F	5	6		505	330	175	COSMOS	AM 818 F(AS)	BUS
CWKB-06	R	6	6		530	345	185	COSMOS	AM 818 R(AS)	BUS
CWKB-07	R	6	6		590	390	200	COSMOS NEW	-	BUS
CWKT-08	F	5	6		570	355	215	RHINO REBUILDING	-	TRUCK
CWKT-09	R	5	6		545	350	195	RHINO	COMBI R(KA)	TRUCK
CWKV-10	F	3	20		365	240	125	BESTA	BONGO F(KA) , TOPIC F(KA)	VAN
CWKV-11	R	3	20		535	330	205	BESTA	TOPIC R(KA)	VAN
CWKV-12	F	3	20		365	240	125	BONGO	BESTA F(KA)	VAN
CWKV-13	R	3	20		440	280	160	BONGO	TRAIID R(KA)	VAN
CWKT-14	F	3	20		365	240	125	FRONTIER	BESTA F(KA)	TRUCK
CWKT-15	R	3	20		590	360	230	FRONTIER	-	TRUCK
CWKT-16	F	3	20		600	355	245	RHINO	-	TRUCK
CWKT-17	F	3	20		565	330	235	TITAN 1.4~3.5TON	TRAIID F NEW(KA)	TRUCK
CWKT-18	R	3	20		520	305	215	TITAN 1.4~3.5TON	-	TRUCK
CWKT-19	F	3	20		605	355	250	TRAIID	-	TRUCK
CWKT-20	R	3	20		449	280	160	TRAIID	BONGO R(KA)	TRUCK
CWKT-21	R	3	20		410	270	140	TOWNER	-	TRUCK
CWKV-22	R	2	20		360	245	115	TOWNER	-	VAN
CWKT-23	F	3	20		440	275	165	BONGOIII 1TON	-	TRUCK
CWKT-24	R	3	20		560	345	215	BONGOIII 1TON	-	TRUCK
CWKT-25	F	3	20		580	325	255	BONGOIII 1.4TON	-	TRUCK
CWKT-26	R	3	20		520	305	215	BONGOIII 1.4TON	-	TRUCK
CWKT-27	F	3	20		580	325	255	FRONTIER 1.4TON	-	TRUCK
CWKT-28	R	3	20		520	305	215	FRONTIER 1.4TON	-	TRUCK
CWKT-29	R	3	20		540	330	210	SPORTAGE	OK018-28-700C	TRUCK
CWKT-30	F	5	6		590	375	215	RHINO II	BH 115 F(DW)	TRUCK
CWKT-31	R	5	6		550	345	205	RHINO II	-	TRUCK

• F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group 5 Kinds Group 6 Kinds Group ULTRA

Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWDT-55	F	5	6		730	460	270	NOVUS 25TON FRONT-FIRST AXLE FRONT-SECOND AXLE	34240-01190 1, 2AXLE	TRUCK
CWDT-56	F	5	6		630	380	250	NOVUS 25TON FRONT-FIRST AXLE FRONT-SECOND AXLE	34240-01000 2AXLE	TRUCK
CWDT-57	F	5	6		545	350	195	NOVUS 25TON FRONT-FIRST	34240-01340 1AXLE	TRUCK
CWDT-58	F	5	6		525	330	195	NOVUS 25TON FRONT-FIRST	34240-01880 1AXLE	TRUCK
CWDT-59	F	5	6		735	445	290	NOVUS 25TON FRONT-FIRST, LH	34240-01270 1AXLE, LH	TRUCK
CWDT-60	F	5	6		725	440	285	NOVUS 25TON FRONT-FIRST	34240-00820 1AXLE	TRUCK
CWDT-61	F	5	6		685	420	265	NOVUS 25TON FRONT-FIRST AXLE FRONT-SECOND AXLE	34240-01790 1, 2AXLE	TRUCK
CWDT-62	F	5	6		530	335	285	NOVUS 25TON FRONT-FIRST RH AXLE FRONT-SECOND AXLE	34240-00070, 1AXLE, RH 2AXLE	TRUCK
CWDT-63	F	5	6		670	405	265	NOVUS 25TON FRONT-FIRST	34240-00330(00331) 1AXLE	TRUCK
CWDT-64	F	5	6		620	380	240	NOVUS 25TON FRONT-FIRST	34240-00840 1AXLE	TRUCK

• F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group  5 Kinds Group  6 Kinds Group  ULTRA

Shock absorber application list for ASIA motor company >>>

Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWAB-01	F	6	6		690	435	255	AM 927	FB 485 F(HD)	BUS
CWAB-02	R	6	6		735	465	270	AM 927	FB 485 R(HD)	BUS
CWAB-03	R	6	6		640	385	255	AM 928 OLD	AERO ECONOMIC R(HD) AM 938 R(AS), BF 101 R(DW)	BUS
CWAB-04	F	5	6		620	400	220	AM 928 OLD	AM 938 F(AS), SB0138A000(DS)	BUS
CWAB-05	F	6	6		635	410	225	AM 928 S/P	RB 600 F(HD), AA9A1-34-700C	BUS
CWAB-06	R	6	6		735	465	270	AM 928 S/P	FB 485 R(HD), AA9A1-28-700C	BUS
CWAB-07	F	5	6		685	420	265	AM 929	AM 939 F(AS), ASIA 15TON(AS) DA 33 F(SY)	BUS
CWAB-08	R	5	6		705	420	285	AM 929	AM 939 R(AS) GRANBERD R OLD(KA)	BUS
CWAB-09	F	6	6		635	410	225	AM 937	BF 101 F(DW)	BUS
CWAB-10	R	6	6		735	465	270	AM 937	FB 485 R(HD)	BUS
CWAB-11	F	5	6		620	400	220	AM 938	AM 928 F OLD(AS), SB0138A000(DS)	BUS
CWAB-12	R	6	6		640	385	255	AM 938	AM 928 R(AS), BF 101 R AERO ECONOMIC R(HD)	BUS
CWAB-13	F	5	6		685	420	265	AM 939	AM 929 F(AS), DA 33 F(SY) ASIA 15TON(AS)	BUS
CWAB-14	R	5	6		705	420	285	AM 939	AM 929 R(AS) GRANBERD R OLD(KA)	BUS
CWAB-15	R	5	6		650	410	240	AM 948	GRANBERD R NEW(KA) AERO EXPRESS F(HD)	BUS
CWAB-16	F	6	6		690	435	255	AM 948	FB 485 F(HD)	BUS
CWAB-17	F	6	6		690	435	255	AM 949	FB 485 F(HD)	BUS
CWAB-18	R	6	6		680	410	275	AM 949	BH 120 R ROYAL(DW)	BUS
CWAB-19	R	5	6		705	420	285	GRANBIRD OLD	AM 929 R(AS), AM 939 R(AS)	BUS
CWAB-20	F	6	6		690	435	255	GRANBIRD OLD	FB 485 F(HD)	BUS
CWAB-21	R	5	6		650	410	240	GRANBIRD NEW	AM 948 R(AS)	BUS
CWAB-22	F	6	6		690	435	255	GRANBIRD NEW	FB 485 F(HD), 948 F(AS)	BUS
CWAT-23	-	5	6		685	420	265	ASIA 15TON GRANTO 15TON (AA62C-34-070)	AM 929 F(AS), AM 939 F(AS) DA 33 F(SY), GRANTO(AS)	TRUCK

• F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group 5 Kinds Group 6 Kinds Group ULTRA

Shock absorber application list for wing body truck



Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWTA-01	F	3	20		250	185	65	ASIA TOP	-	TRUCK
CWTA-02	R	2	20		210	165	45	ASIA TOP	-	TRUCK
CWTY-03	-	3	20		275	205	70	DA50 TOP	-	TRUCK
CWTY-04	-	3	20		245	180	65	SSANGYONG TOP	-	TRUCK
CWTH-05	-	2	20		220	165	55	HYUNDAI 91A TOP	64243-68010, 8678073010 8684473011, 8683173010	TRUCK
CWTS-06	-	2	20		265	190	75	SAMSUNG TOP	-	TRUCK
CWTC-07	-	2	20		330	230	100	SCANIA TOP	-	TRUCK
CWTD-08	-	3	20		265	190	75	VOLVO TOP	-	TRUCK
CWTO-09	-	3	20		410	270	140	INDUSTRIAL WASHER	-	INDUSTRIAL
CWTD-10	-	3	20		260	190	70	NEXT GENERATION TOP	NOBEUSEN TOP (P34853-00040, 60) P34853-00051	TRUCK
CWTD-11	-	2	20		265	210	55	DW ULTRA TOP	P34858-00030	TRUCK
CWTH-12	-	2	20		250	180	70	HD MEGA 5TON F TOP	643317C010, 64343-7C010 64233-6B010	TRUCK
CWTD-13	-	3	20		380	255	125	DW EURO 4 TOP	P34853-00090	TRUCK

- F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group 5 Kinds Group 6 Kinds Group ULTRA

Shock absorber application list for overseas trucks and buses



Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWYT-01	-	5	6		685	420	265	FRONT TWIN WHEELS	ULTRA 25TON 1AXLE 34240-00120, 34240-00750	TRUCK
CWYT-02	F	5	6		685	420	265	DA 33	ASIA 15TON, AM 929 F(AS) AM 939 F(AS)	TRUCK
CWYT-03	R	6	6		665	420	245	DA 33	BH 117 F OLD(DW)	TRUCK
CWYT-04	-	6	6		665	410	255	DX DUMP	SY 15TON	TRUCK
CWYB-05	F	5	6		650	405	245	TRANSTAR	46210-88000	BUS
CWYB-06	R	5	6		605	365	240	TRANSTAR	AERO ECONOMIC F(HD), 650 R(HD) 48210-88000	BUS
CWCT-07	-	5	6		725	440	285	SCANIA 1, 2AXLE	-	TRUCK
CWST-08	-	5	6		665	405	260	SAMSUNG 15TON	NOBEUSEN 25TON 1AXLE(DW) 34240-00111 (00101, 00131, 00330)	TRUCK
CWVT-09	F	5	6		720	450	270	VOLVO 1, 2AXLE	-	TRUCK
CWSV-10	F	3	20		465	295	170	ISTANA	-	VAN
CWSV-11	R	3	20		510	315	195	ISTANA	-	VAN
CWSV-12	F	3	20		365	235	130	MUSSO	GRACE F(HD)	VAN
CWSV-13	R	3	20		535	315	220	MUSSO	-	VAN
CWHV-14	F	3	20		330	230	100	GALLOPER	-	VAN
CWHV-15	R	3	20		535	330	205	GALLOPER	BESTA R(AS)	VAN
CWVT-16	R	5	6		710	440	270	VOLVO NEW 3, 4AXLE	-	TRUCK
CWCT-17	-	5	6		820	490	330	SCANIA NEW 3, 4AXLE	-	TRUCK
CWKT-18	-	5	6		570	370	200	SPECIAL VEHICLE	-	TRUCK
CWIT-19	F	5	6		725	440	285	IVECO	-	TRUCK
CWIT-20	R	5	6		820	500	320	IVECO	-	TRUCK
CWBT-21	F	5	6		800	480	320	BENZ FRONT-FIRST AXLE FRONT-SECOND AXLE	-	TRUCK
CWBT-22	R	5	6		870	520	350	BENZ FRONT-FIRST AXLE FRONT-SECOND AXLE	-	TRUCK

- F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group
 5 Kinds Group
 6 Kinds Group
 ULTRA




























Shock absorber application list for ULTRA new products























Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWUT-01	-	5	4		605	380	225	ULTRA DW 11TON	SY, SS TRAILER	TRUCK
CWUT-02	-	5	4		630	390	240	ULTRA HD 91A	HD 11TON, HD TRAILER	TRUCK
CWUT-03	F	5	4		525	330	195	ULTRA HD 5TON	-	TRUCK
CWUT-04	-	5	4		730	445	285	ULTRA HD 91A NEW	HD GOLD 11TON, HD GOLD TRAILER	TRUCK
CWUT-05	-	5	4		685	420	265	ULTRA SY ABSABARI	SY CARGO	TRUCK
CWUT-06	-	5	4		685	420	265	ULTRA AS 15TON	-	TRUCK
CWUT-07	-	5	4		725	440	285	ULTRA SCANIA	HD 11TON, HD TRAILER	TRUCK
CWUT-08	F	3	8		440	275	165	BONGOIII 1TON	-	TRUCK
CWUT-09	R	3	8		560	345	215	BONGOIII 1TON	-	TRUCK
CWUT-10	F	3	8		580	325	255	BONGOIII 1.4TON	PRONTIER 1.4TON	TRUCK
CWUT-11	R	3	8		520	305	215	BONGOIII 1.4TON	PRONTIER 1.4TON	TRUCK
CWUT-12	F	3	8		365	240	125	BONGO 1TON OLD	BESTA F	TRUCK
CWUT-13	R	3	8		440	280	160	BONGO 1TON OLD	PORTER 1TON OLD	TRUCK
CWUT-14	F	3	8		365	235	130	PORTER 1TON NEW	GRACE F	TRUCK
CWUT-15	R	3	8		470	300	170	PORTER 1TON NEW	GRACE R	TRUCK
CWUT-16	F	3	8		470	305	165	COUNTY	-	BUS
CWUT-17	R	3	8		500	310	190	COUNTY	-	BUS
CWUT-18	F	3	8		405	255	150	STAREX	-	VAN
CWUT-19	R	3	8		470	290	170	STAREX	-	VAN
CWUT-20	F	3	8		575	340	235	MIGHTY 2.5TON	-	TRUCK
CWUT-21	R	3	8		470	295	175	MIGHTY 2.5TON	-	TRUCK
CWUT-22	F	3	8		605	355	250	TRAID 2.5TON	-	TRUCK
CWUT-23	R	3	8		440	280	160	TRAID 2.5TON	-	TRUCK
CWUT-24	F	3	8		465	295	170	ISTANA	-	VAN
CWUT-25	R	3	8		510	315	190	ISTANA	-	VAN
CWUT-26	F	5	4		650	410	240	NOVUS 25TON FRONT-1AXLE	-	TRUCK
CWUT-27	R	5	4		800	480	320	NOVUS 25TON REAR-3, 4AXLE	-	TRUCK
CWUT-28	R	5	4		735	445	290	POWERVIC REAR-3, 4AXLE	-	TRUCK





• F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group 5 Kinds Group 6 Kinds Group ULTRA

Shock absorber application list for HYUNDAI GAS motor >>>

Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWHG-01	F	3	20	+++  	335	220	115	GALLOPER	54300-M1070 54300-M1000	VAN
CWHG-02	F	3	20	+++  	395	225	140	STAREX	54300-4A700, 54300-4A100 54300-4A110	VAN
CWHG-03	F	3	20	+++  	370	240	130	STAREX	54300-4A850	VAN
CWHG-04	R	2	20	  	560	335	225	GALLOPER	55300-M1400	VAN
CWHG-05	R	3	20	  	490	305	185	GALLOPER II	55300-M1600	VAN
CWHG-06	R	3	20	  	520	325	195	STAREX(NEW)	55310-4A300 55310-4A700	VAN
CWHG-07	F	3	20	+++  	360	225	195	PORTER II 1TON	54300-4F050	TRUCK
CWHG-08	R	3	20	  	490	315	175	PORTER II 1TON	55300-4F050 55300-4F350	TRUCK
CWHG-09	F	3	20	+++  	440	285	155	PORTER II 1TON(4WD)	54300-4F910	TRUCK
CWHG-10	R	3	20	  	515	315	200	PORTER II 1TON(4WD)	55300-4F910	TRUCK
CWHG-11	R	3	20	+++  	515	325	190	TERRACAN	55310-H1100	VAN

Shock absorber application list for KIA GAS motor >>>

Part No.	F/R	KG	PPB	Configuration	Max	Min	Stroke	Application	Interchangeable Car	Remarks
CWKG-01	F	3	20	+++  	440	275	165	BONGOIII 1TON(4WD)	54300-4E400 54300-4E500	TRUCK
CWKG-02	R	3	20	  	515	315	200	BONGOIII 1TON(4WD)	55300-4E400	TRUCK
CWKG-03	F	3	20	+++  	425	275	150	BONGOIII 1TON	54300-4E690 54300-4E000	TRUCK
CWKG-04	R	3	20	  	560	345	215	BONGOIII 1TON	55300-4E000, 55300-4E100 55300-4E690	TRUCK
CWKG-05	F	3	20	+++  	560	325	235	BONGOIII 1.4TON	54300-4E600 54300-4E700	TRUCK
CWKG-06	R	3	20	+++  	480	285	195	BONGOIII 1.4TON	55300-4E600 55300-4E700	TRUCK
CWKG-07	R	3	20	+++  	540	345	195	SPORTAGE	0K081-28-710	VAN
CWKG-08	R	3	20	+++  	550	355	195	PREGIO	0K72K-28-700D	VAN
CWKG-09	R	3	20	+++  	500	305	195	SORENTO	55310-3E500	VAN

- F : Front • R : Rear • KG : Kinds Group • PPB : Packing Per Box • HD : Hyundai motor • KA : Kia motor
 • DW : Daewoo motor • AS : Asia motor • SY : Ssangyong motor • SS : Samsung motor
 2, 3 Kinds Group  5 Kinds Group  6 Kinds Group  ULTRA